



TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



SCREW DRIVER BITS



80 PCS S/D BIT SET

★ 80 pcs screw driver Bit Set is an ideal buy for workshops, garages, assembly lines in factory and all professionals.

★ The Bit Set contains variety of Screw Driver Bits, Adaptors and a Ratchet Bit Driver.

★ The Screw Driver Bits in the set are Nickel Chrome Plated.

PROD. NO.	CONTENTS
BS 80 (WEIGHT GRAMS 1325)	25 mm Hex - 2, 2.5, 3, 4, 5, 6
	25 mm Flat - 3, 4, 5, 5.5, 6, 6.5
	25 mm Torx - T8, T10, T15, T20, T25, T27, T30, T40 (without Tamper / without Hole)
	25 mm Torx - TT8, TT10, TT15, TT20, TT25, TT27, TT30, TT40 (with Tamper / with Hole)
	25 mm Phillips - PH0, PH1, PH2, PH3
	25 mm Adaptor - (1/4 Sq. Drive)
	50 mm Hex - 2, 2.5, 3, 4, 5, 6
	50 mm Flat - 3, 4, 5, 5.5, 6, 6.5
	50 mm Torx - T8, T10, T15, T20, T25, T27, T30, T40 (without Tamper / without Hole)
	50 mm Torx - TT8, TT10, TT15, TT20, TT25, TT27, TT30, TT40 (with Tamper / with Hole)
	50 mm Phillips - PH0, PH1, PH2, PH3
	50 mm Adaptor - (1/4 Sq. Drive)
	65 mm Two-in-One- PH1xSL4.5, PH2xSL5.5, PH3xSL6.5, PH1xPH1, PH1xPH2, PH2xPH2, PH2xPH3, PH3xPH3
	110 mm Two-in-One- PH1xPH1, PH2xPH2, PH3xPH3
	60 mm Bit Holder, Ratchet Bit Driver

BIT DRIVER SET WITH S/D BITS




A portable & Economical Bit Set for all professionals and householders.

Ten most commonly used Screw Drive Bits of 25 mm length placed in-side the handle of a sturdy Bit Driver.





PROD. NO.	A	B	C	D	L	CONTENTS	WT. GMS
BDS 125	125	6.40	31	8	242	Torx - T5, T6, T8, T10	130
						Phillips No. 0, 1, 2	
						Flat : 3mm, 4mm, 5mm	

BIT DRIVER



PROD. NO.	A	B	C	D	L	WT. GMS
BD 125	125	6.40	26	6	222	90

SCREW DRIVER BITS - (1/4) HEXAGONAL DRIVE :



- ★ Made from expensive high alloy steel.
- ★ Accurately hardened & Tempered to 56-60 HRC.
- ★ To withstand high torque and high wear resistance properties.
- ★ Precisely machined Phillips, Torx, Flat & Hexagon Tips.
- ★ One of the widest range of quality Screw Driver Bits in india.

PHILLIPS HEAD SCREW DRIVER BITS

25MM & 50 MM SINGLE HEAD


PROD. NO.	SIZE	B	C	L	WT. GMS
SBP 250	0	4	15	25	5.0
SBP 251	1	5	15	25	5.0
SBP 252	2	6	15	25	5.0
SBP 253	3	6	15	25	5.0
SBP 500	0	4	25	50	8.0
SBP 501	1	5	40	50	11.0
SBP 502	2	6	40	50	11.0
SBP 503	3	6	25	50	11.0

50MM, 65MM & 110 MM DOUBLE HEAD




PROD. NO.	SIZE	PH	A	B1	B2	L	WT. GMS
SBPP 5011	50xPH1xPH1	1	1	5	5	50	10.0
SBPP 5012	50xPH1xPH2	1	2	5	6	50	10.0
SBPP 5013	50xPH1xPH3	1	3	5	6	50	10.0
SBPP 5022	50xPH2xPH2	2	2	6	6	50	11.0
SBPP 5023	50xPH2xPH3	2	3	6	6	50	11.0
SBPP 5033	50xPH3xPH3	3	3	6	6	50	11.0
SBPP 6512	65xPH1xPH2	1	2	6.35	6.35	65	14.0
SBPP 6523	65xPH2xPH3	2	3	6.35	6.35	65	14.0
SBPP 11011	110xPH1xPH1	1	1	5	5	110	25.0
SBPP 11012	110xPH1xPH2	1	2	5	6	110	25.0
SBPP 11022	110xPH2xPH2	2	2	6	6	110	25.0
SBPP 11023	110xPH2xPH3	2	3	6	6	110	25.0
SBPP 11033	110xPH3xPH3	3	3	6	6	110	25.0

TORX HEAD SCREW DRIVER BITS



25 MM SINGLE HEAD


PROD. NO.	SIZE	C	L	WT. GMS
SBT 255	T 5	11	25	4.0
SBT 256	T 6	11	25	4.0
SBT 257	T 7	11	25	4.0
SBT 258	T 8	11	25	4.0
SBT 259	T 9	11	25	4.0
SBT 2510	T 10	11	25	4.5
SBT 2515	T 15	11	25	4.5
SBT 2520	T 20	11	25	4.5
SBT 2525	T 25	11	25	5.0
SBT 2527	T 27	11	25	5.0
SBT 2530	T 30	11	25	5.0
SBT 2540	T 40	-	25	5.5
SBT 2545	T 45	11	25	6.0



50 MM SINGLE HEAD


PROD. NO.	SIZE	C	L	WT. GMS
SBT 505	T 5	11	50	7.0
SBT 506	T 6	11	50	7.0
SBT 507	T 7	11	50	7.0
SBT 508	T 8	11	50	7.0
SBT 509	T 9	11	50	7.0
SBT 5010	T 10	11	50	7.5
SBT 5015	T 15	11	50	7.5
SBT 5020	T 20	11	50	8.0
SBT 5025	T 25	11	50	9.0
SBT 5027	T 27	11	50	10.0
SBT 5030	T 30	11	50	11.0
SBT 5040	T 40	-	50	12.0

FLAT HEAD BITS



25 MM

PROD. NO.	SIZE	A	B	C	L	WT. GMS
SBF 253	25x3x0.5	0.50	3	15	25	4.5
SBF 254	25x4x0.6	0.60	4	15	25	4.5
SBF 255	25x5x0.8	0.80	5	15	25	5.0
SBF 256	25x6x1.0	1.00	6	15	25	5.0
SBF 258	25x8x1.2	1.20	8	15	25	5.0




50 MM

PROD. NO.	SIZE	A	B	C	L	WT. GMS
SBF 503	50x3x0.5	0.50	3	25	50	8.5
SBF 504	50x4x0.6	0.60	4	25	50	8.5
SBF 505	50x5x0.8	0.80	5	25	50	10.0
SBF 506	50x6x1.0	1.00	6	25	50	11.0
SBF 508	50x8x1.2	1.20	8	25	50	11.0

HEXAGON HEAD BITS

METRIC SERIES 25 MM & 50 MM LENGTH

PROD. NO.	B	C	L	WT. GMS
SBH 2515	1.5	17	25	4.0
SBH 252	2	17	25	4.0
SBH 2525	2.5	17	25	4.5
SBH 253	3	17	25	5.0
SBH 254	4	17	25	5.0
SBH 255	5	17	25	6.0
SBH 256	6	17	25	6.0
SBH 258	8	17	25	8.0
SBH 2510	10	17	25	10.0
SBH 5015	1.5	40	50	10.0
SBH 502	2	40	50	10.0
SBH 5025	2.5	40	50	10.0
SBH 503	3	25	50	11.0
SBH 504	4	40	50	11.0
SBH 505	5	40	50	12.0
SBH 506	6	40	50	12.0
SBH 508	8.0	9.20	50	21.0
SBH 5010	10.0	11.50	50	33.0




INCH SERIES 50 MM LENGTH

PROD. NO.	B	C	L	WT. GMS
SBH 50116	1/16	40	50	10.0
SBH 50564	5/64	40	50	10.0
SBH 50332	3/32	40	50	10.0
SBH 50764	7/64	40	50	10.0
SBH 5018	1/18	40	50	11.0
SBH 50964	9/64	40	50	11.0
SBH 50532	5/32	40	50	11.0
SBH 50316	3/16	40	50	12.0
SBH 50732	7/32	40	50	12.0
SBH 5014	1/4	40	50	12.0

TWO IN ONE SCREW DRIVER BITS

50 MM, 65 MM & 110 MM

PROD. NO.	PH	A	B	B1	L	WT. GMS
SBPF 5026	2	1.0	6	6	50	10.0
SBPF 65145	1	1.0	4.5	6.35	65	14.0
SBPF 65255	2	1.0	5.5	6.35	65	14.0
SBPF 65365	3	1.0	6.5	6.35	65	14.0
SBPF 11026	2	1.0	6	6	110	25.0



31 Pcs. Bit Driver SET



BS 31

- ★ Set of 31 pieces , viz. 30 bits & 1 Bit Driver .
- ★ Professional quality.
- ★ Bit Driver with ergonomic handle.
- ★ Grey finished bits.
- ★ Bits sizes include:

★ Philips bits of size 0,1,2,3	4 no.
★ Flat bits of size 2.5,3.0,4.0,5.0,6.0mm	5 no.
★ Torx bits T9, T10, T15, T20, T25, T30, T40	7 no.
★ Triwing bits 1,2,3,4	4 no.
★ Hex bits of size 2.0,2.5,3.0,4.0,5.0,6.0	6 no.
★ Square bits of size S0,S1,S2,S3	4 no.



TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. Tel : 6147 8600
Fax : 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** <http://www.tapariatools.com>
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. Tel : 2350 317 / 318 / 418 • **Fax :** 0253-2350740



An ISO-9001 Company

TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®